

Ballet Hispanico ...INSTRUMENT SCHEDULE

14-Jun-02

1 ELECTRIC

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|------------------|------------------|-----|------|
| 1 | S4 36 | 575w | SL X to CL | R54 | | (33) |
| 2 | S4 36 | 575w | SL Temp X to CL | R53, T:G530 | | (45) |
| 3 | S4 26 | 575w | SL X to Far | R54 | | (39) |
| 4 | S4 26 | 575w | SL Temp X to Far | R53, T:G530 | | (51) |
| 5 | S4 36 | 575w | Pool | R53 | | (61) |
| 6 | S4 36 | 575w | Pool | R53 | | (62) |
| 7 | S4 36 | 575w | Pool | R53 | | (63) |
| 8 | S4 26 | 575w | SR Temp X to Far | R53, T:G530 | | (54) |
| 9 | S4 26 | 575w | SR X to Far | R54 | | (42) |
| 10 | S4 36 | 575w | SR Temp X to CL | R53, T:G530 | | (48) |
| 11 | S4 36 | 575w | SR X to CL | R54 | | (36) |

2 ELECTRIC

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|------------------|------------------|-----|------|
| 1 | S4 36 | 575w | SL X to CL | R54 | | (34) |
| 2 | S4 36 | 575w | SL Temp X to CL | R53, T:G530 | | (46) |
| 3 | S4 26 | 575w | SL X to Far | R54 | | (40) |
| 4 | S4 26 | 575w | SL Temp X to Far | R53, T:G530 | | (52) |
| 5 | S4 36 | 575w | Front Lav | R54 | | (4) |
| 6 | S4 36 | 575w | Front Blue | L161 | | (10) |
| 7 | S4 36 | 575w | Pool | R53 | | (64) |
| 8 | S4 36 | 575w | Front Lav | R54 | | (5) |
| 9 | S4 36 | 575w | Front Blue | L161 | | (11) |
| 10 | S4 36 | 575w | Pool | R53 | | (65) |
| 11 | S4 36 | 575w | Front Lav | R54 | | (5) |
| 12 | S4 36 | 575w | Front Blue | L161 | | (11) |
| 13 | S4 36 | 575w | Pool | R53 | | (66) |
| 14 | S4 36 | 575w | Front Lav | R54 | | (6) |
| 15 | S4 36 | 575w | Front Blue | L161 | | (12) |
| 16 | S4 26 | 575w | SR Temp X to Far | R53, T:G530 | | (55) |
| 17 | S4 26 | 575w | SR X to Far | R54 | | (43) |
| 18 | S4 36 | 575w | SR Temp X to CL | R53, T:G530 | | (49) |
| 19 | S4 36 | 575w | SR X to CL | R54 | | (37) |

Ballet Hispanico ...INSTRUMENT SCHEDULE

Page 1

14-Jun-02

REPERTORY PLOT
2000-2001 Season
ETC Obsession 600

Mark Hankla Lighting Director
Cell: 646-489-4401
mhankla@aol.com

3 ELECTRIC

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|------------------|------------------|-----|------|
| 1 | S4 36 | 575w | SL X to CL | R54 | | (34) |
| 2 | S4 36 | 575w | SL Temp X to CL | R53, T:G530 | | (46) |
| 3 | S4 26 | 575w | SL X to Far | R54 | | (40) |
| 4 | S4 26 | 575w | SL Temp X to Far | R53, T:G530 | | (52) |
| 5 | PAR 64 | 1kw | Back - DSL | R79 | | (93) |
| 6 | PAR 64 | 1kw | Back - DSL | R48 | | (87) |
| 7 | PAR 64 | 1kw | Back - DSL | G375 | | (81) |
| 8 | S4 36 | 575w | Pool | R53 | | (67) |
| 9 | PAR 64 | 1kw | Back - DSC | R79 | | (94) |
| 10 | PAR 64 | 1kw | Back - DSC | R48 | | (88) |
| 11 | PAR 64 | 1kw | Back - DSC | G375 | | (82) |
| 12 | S4 36 | 575w | Pool | R53 | | (68) |
| 13 | PAR 64 | 1kw | Back - DSC | R79 | | (94) |
| 14 | PAR 64 | 1kw | Back - DSC | R48 | | (88) |
| 15 | PAR 64 | 1kw | Back - DSC | G375 | | (82) |
| 16 | S4 36 | 575w | Pool | R53 | | (69) |
| 17 | PAR 64 | 1kw | Back - DSR | G375 | | (83) |
| 18 | PAR 64 | 1kw | Back - DSR | R48 | | (89) |
| 19 | PAR 64 | 1kw | Back - DSR | R79 | | (95) |
| 20 | S4 26 | 575w | SR Temp X to Far | R53, T:G530 | | (55) |
| 21 | S4 26 | 575w | SR X to Far | R54 | | (43) |
| 22 | S4 36 | 575w | SR Temp X to CL | R53, T:G530 | | (49) |
| 23 | S4 36 | 575w | SR X to CL | R54 | | (37) |

Ballet Hispanico ...INSTRUMENT SCHEDULE

4 ELECTRIC

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|------------------|------------------|-----|------|
| 1 | S4 36 | 575w | SL X to CL | R54 | | (35) |
| 2 | S4 36 | 575w | SL Temp X to CL | R53, T:G530 | | (47) |
| 3 | S4 26 | 575w | SL X to Far | R54 | | (41) |
| 4 | S4 26 | 575w | SL Temp X to Far | R53, T:G530 | | (53) |
| 5 | PAR 64 | 1kw | Back - USL | R79 | | (96) |
| 6 | PAR 64 | 1kw | Back - USL | R48 | | (90) |
| 7 | PAR 64 | 1kw | Back - USL | G375 | | (84) |
| 8 | PAR 64 | 1kw | Back - USC | R79 | | (97) |
| 9 | PAR 64 | 1kw | Back - USC | R48 | | (91) |
| 10 | PAR 64 | 1kw | Back - USC | G375 | | (85) |
| 11 | PAR 64 | 1kw | Back - USC | R79 | | (97) |
| 12 | PAR 64 | 1kw | Back - USC | R48 | | (91) |
| 13 | PAR 64 | 1kw | Back - USC | G375 | | (85) |
| 14 | PAR 64 | 1kw | Back - USR | G375 | | (86) |
| 15 | PAR 64 | 1kw | Back - USR | R48 | | (92) |
| 16 | PAR 64 | 1kw | Back - USR | R79 | | (98) |
| 17 | S4 26 | 575w | SR Temp X to Far | R53, T:G530 | | (56) |
| 18 | S4 26 | 575w | SR X to Far | R54 | | (44) |
| 19 | S4 36 | 575w | SR Temp X to CL | R53, T:G530 | | (50) |
| 20 | S4 36 | 575w | SR X to CL | R54 | | (38) |

Ballet Hispanico ...INSTRUMENT SCHEDULE

5 ELECTRIC

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|-----------|------------------|-------|-----|
| 1 | FAR CYC | 1kw | Upper Cyc | L200 | (130) | |
| 1 | FAR CYC | 1kw | Upper Cyc | LHT195 | (132) | |
| 1 | FAR CYC | 1kw | Upper Cyc | LHT181 | (131) | |
| 2 | FAR CYC | 1kw | Upper Cyc | LHT195 | (132) | |
| 2 | FAR CYC | 1kw | Upper Cyc | LHT181 | (131) | |
| 2 | FAR CYC | 1kw | Upper Cyc | L200 | (130) | |
| 3 | FAR CYC | 1kw | Upper Cyc | L200 | (130) | |
| 3 | FAR CYC | 1kw | Upper Cyc | LHT195 | (132) | |
| 3 | FAR CYC | 1kw | Upper Cyc | LHT181 | (131) | |
| 4 | FAR CYC | 1kw | Upper Cyc | LHT181 | (131) | |
| 4 | FAR CYC | 1kw | Upper Cyc | LHT195 | (132) | |
| 4 | FAR CYC | 1kw | Upper Cyc | L200 | (130) | |
| 5 | FAR CYC | 1kw | Upper Cyc | LHT195 | (132) | |
| 5 | FAR CYC | 1kw | Upper Cyc | LHT181 | (131) | |
| 5 | FAR CYC | 1kw | Upper Cyc | L200 | (130) | |
| 6 | FAR CYC | 1kw | Upper Cyc | LHT195 | (132) | |
| 6 | FAR CYC | 1kw | Upper Cyc | L200 | (130) | |
| 6 | FAR CYC | 1kw | Upper Cyc | LHT181 | (131) | |
| 7 | FAR CYC | 1kw | Upper Cyc | LHT195 | (132) | |
| 7 | FAR CYC | 1kw | Upper Cyc | LHT181 | (131) | |
| 7 | FAR CYC | 1kw | Upper Cyc | L200 | (130) | |
| 8 | FAR CYC | 1kw | Upper Cyc | LHT195 | (132) | |
| 8 | FAR CYC | 1kw | Upper Cyc | LHT181 | (131) | |
| 8 | FAR CYC | 1kw | Upper Cyc | L200 | (130) | |
| 9 | FAR CYC | 1kw | Upper Cyc | LHT181 | (131) | |
| 9 | FAR CYC | 1kw | Upper Cyc | LHT195 | (132) | |
| 9 | FAR CYC | 1kw | Upper Cyc | L200 | (130) | |
| 10 | FAR CYC | 1kw | Upper Cyc | LHT195 | (132) | |
| 10 | FAR CYC | 1kw | Upper Cyc | L200 | (130) | |
| 10 | FAR CYC | 1kw | Upper Cyc | LHT181 | (131) | |

1 BOOM SL

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|-------------|------------------|------|-----|
| 1 | S4 36 | 575w | SL Head "A" | Note 1 | (23) | |
| 2 | S4 36 | 575w | SL Head "B" | Note 1 | (29) | |
| 3 | S4 36 | 575w | SL Shin "B" | Note 1 | (19) | |
| 4 | S4 36 | 575w | SL Shin "A" | Note 1 | (13) | |

NOTES:

1. Manual color change. BH will supply this color.

Ballet Hispanico ...INSTRUMENT SCHEDULE

2 BOOM SL

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|-------------|------------------|------|-----|
| 1 | S4 36 | 575w | SL Head "A" | Note 1 | (24) | |
| 2 | S4 36 | 575w | SL Head "B" | Note 1 | (29) | |
| 3 | S4 36 | 575w | SL Shin "B" | Note 1 | (19) | |
| 4 | S4 36 | 575w | SL Shin "A" | Note 1 | (14) | |

3 BOOM SL

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|-------------|------------------|------|-----|
| 1 | S4 36 | 575w | SL Head "A" | Note 1 | (24) | |
| 2 | S4 36 | 575w | SL Head "B" | Note 1 | (30) | |
| 3 | S4 36 | 575w | SL Shin "B" | Note 1 | (20) | |
| 4 | S4 36 | 575w | SL Shin "A" | Note 1 | (14) | |

4 BOOM SL

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|-------------|------------------|------|-----|
| 1 | S4 36 | 575w | SL Head "A" | Note 1 | (25) | |
| 2 | S4 36 | 575w | SL Head "B" | Note 1 | (30) | |
| 3 | S4 36 | 575w | SL Shin "B" | Note 1 | (20) | |
| 4 | S4 36 | 575w | SL Shin "A" | Note 1 | (15) | |

1 BOOM SR

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|-------------|------------------|------|-----|
| 1 | S4 36 | 575w | SR Head "A" | Note 1 | (26) | |
| 2 | S4 36 | 575w | SR Head "B" | Note 1 | (31) | |
| 3 | S4 36 | 575w | SR Shin "B" | Note 1 | (21) | |
| 4 | S4 36 | 575w | SR Shin "A" | Note 1 | (16) | |

2 BOOM SR

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|-------------|------------------|------|-----|
| 1 | S4 36 | 575w | SR Head "A" | Note 1 | (27) | |
| 2 | S4 36 | 575w | SR Head "B" | Note 1 | (31) | |
| 3 | S4 36 | 575w | SR Shin "B" | Note 1 | (21) | |
| 4 | S4 36 | 575w | SR Shin "A" | Note 1 | (17) | |

3 BOOM SR

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|-------------|------------------|------|-----|
| 1 | S4 36 | 575w | SR Head "A" | Note 1 | (27) | |
| 2 | S4 36 | 575w | SR Head "B" | Note 1 | (32) | |
| 3 | S4 36 | 575w | SR Shin "B" | Note 1 | (22) | |
| 4 | S4 36 | 575w | SR Shin "A" | Note 1 | (17) | |

NOTES:

1. Manual color change. BH will supply this color.

Ballet Hispanico ...INSTRUMENT SCHEDULE

4 BOOM SR

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|-------------|------------------|------|-----|
| 1 | S4 36 | 575w | SR Head "A" | Note 1 | (28) | |
| 2 | S4 36 | 575w | SR Head "B" | Note 1 | (32) | |
| 3 | S4 36 | 575w | SR Shin "B" | Note 1 | (22) | |
| 4 | S4 36 | 575w | SR Shin "A" | Note 1 | (18) | |

GROUND ROW

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|--------------|------------------|------|-----|
| A1 | 7'6" R40 Strip | 150w | Cyc - Bottom | R16 | (72) | |
| A2 | 7'6" R40 Strip | 150w | Cyc - Bottom | R26 | (75) | |
| A3 | 7'6" R40 Strip | 150w | Cyc - Bottom | R79 | (78) | |
| B1 | 7'6" R40 Strip | 150w | Cyc - Bottom | R16 | (72) | |
| B2 | 7'6" R40 Strip | 150w | Cyc - Bottom | R26 | (75) | |
| B3 | 7'6" R40 Strip | 150w | Cyc - Bottom | R79 | (78) | |
| C1 | 7'6" R40 Strip | 150w | Cyc - Bottom | R16 | (73) | |
| C2 | 7'6" R40 Strip | 150w | Cyc - Bottom | R26 | (76) | |
| C3 | 7'6" R40 Strip | 150w | Cyc - Bottom | R79 | (79) | |
| D1 | 7'6" R40 Strip | 150w | Cyc - Bottom | R16 | (73) | |
| D2 | 7'6" R40 Strip | 150w | Cyc - Bottom | R26 | (76) | |
| D3 | 7'6" R40 Strip | 150w | Cyc - Bottom | R79 | (79) | |
| E1 | 7'6" R40 Strip | 150w | Cyc - Bottom | R16 | (74) | |
| E2 | 7'6" R40 Strip | 150w | Cyc - Bottom | R26 | (77) | |
| E3 | 7'6" R40 Strip | 150w | Cyc - Bottom | R79 | (80) | |
| F1 | 7'6" R40 Strip | 150w | Cyc - Bottom | R16 | (74) | |
| F2 | 7'6" R40 Strip | 150w | Cyc - Bottom | R26 | (77) | |
| F3 | 7'6" R40 Strip | 150w | Cyc - Bottom | R79 | (80) | |

FOH

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|------------|------------------|-----|-----|
| 1 | S4 19 | 575w | Front Blue | L161 | (7) | |
| 2 | S4 19 | 575w | Front Lav | R54 | (1) | |
| 3 | S4 19 | 575w | Front Blue | L161 | (7) | |
| 4 | S4 19 | 575w | Front Lav | R54 | (1) | |
| 5 | S4 19 | 575w | Front Blue | L161 | (8) | |
| 6 | S4 19 | 575w | Front Lav | R54 | (2) | |
| 7 | S4 19 | 575w | Front Blue | L161 | (8) | |
| 8 | S4 19 | 575w | Front Lav | R54 | (2) | |
| 9 | S4 19 | 575w | Front Blue | L161 | (9) | |
| 10 | S4 19 | 575w | Front Lav | R54 | (3) | |
| 12 | S4 19 | 575w | Front Blue | L161 | (9) | |
| 13 | S4 19 | 575w | Front Lav | R54 | (3) | |

NOTES:

1. Manual color change. BH will supply this color.

Ballet Hispanico ...INSTRUMENT SCHEDULE

TBD

| U# | Instrument Type | Watts | Purpose | Color & Template | Chn | Dim |
|----|-----------------|-------|----------------|------------------|-----|-------|
| | TBD | | Curtain Warmer | TBD | | (100) |
| | TBD | | Curtain Warmer | TBD | | (100) |
| | TBD | | Curtain Warmer | TBD | | (100) |
| | TBD | | Curtain Warmer | TBD | | (100) |
| | TBD | | Curtain Warmer | TBD | | (100) |
| | TBD | | Curtain Warmer | TBD | | (100) |

Ballet Hispanico ...INSTRUMENT SCHEDULE

14-Jun-02

REPERTORY PLOT
2000-2001 Season
ETC Obsession 600

Mark Hankla Lighting Director
Cell: 646-489-4401
mhankla@aol.com

PAGE INDEX

| | | | |
|--------------------|---|-------------------|---|
| # 3 ELECTRIC | 1 | # 1 BOOM SR | 4 |
| # 4 ELECTRIC | 2 | # 2 BOOM SR | 4 |
| # 5 ELECTRIC | 3 | # 3 BOOM SR | 4 |
| # 1 BOOM SL | 3 | # 4 BOOM SR | 5 |
| # 2 BOOM SL | 4 | GROUND ROW | 5 |
| # 3 BOOM SL | 4 | FOH | 5 |
| # 4 BOOM SL | 4 | TBD | 6 |