

BALLET HISPANICO*Repertory Light Plot*
CHANNEL HOOKUPArtistic Director: Eduardo Vilaro
Repertory Light Plot
2009-2010Lighting Director: Russel Drapkin
Tel: 917-627-0331
rdrapkinld@mac.com

Channel	Dim	Position	U#	Type & Accessories	Purpose	Color & Template
(1)		FOH	1	19 Deg S/4:-	F/L Lav DL	R54+R132
		FOH	3	19 Deg S/4:-	F/L Lav DL	R54+R132
(2)		FOH	5	19 Deg S/4:-	F/L Lav DC	R54+R132
		FOH	7	19 Deg S/4:-	F/L Lav DC	R54+R132
(3)		FOH	9	19 Deg S/4:-	F/L Lav DR	R54+R132
		FOH	11	19 Deg S/4:-	F/L Lav DR	R54+R132
(4)		2 Electric	5	36 Deg S/4:-	F/L Lav UL	R54+R119
(5)		2 Electric	8	36 Deg S/4:-	F/L Lav UC	R54+R119
		2 Electric	11	36 Deg S/4:-	F/L Lav UC	R54+R119
(6)		2 Electric	14	36 Deg S/4:-	F/L Lav UR	R54+R119
(7)		FOH	2	19 Deg S/4:-	F/L Blue DL	L161+R132
		FOH	4	19 Deg S/4:-	F/L Blue DL	L161+R132
(8)		FOH	6	19 Deg S/4:-	F/L Blue DC	L161+R132
		FOH	8	19 Deg S/4:-	F/L Blue DC	L161+R132
(9)		FOH	10	19 Deg S/4:-	F/L Blue DR	L161+R132
		FOH	12	19 Deg S/4:-	F/L Blue DR	L161+R132
(10)		2 Electric	6	36 Deg S/4:-	F/L Blue UL	L161+R119
(11)		2 Electric	9	36 Deg S/4:-	F/L Blue UCL	L161+R119
		2 Electric	12	36 Deg S/4:-	F/L Blue UCR	L161+R119
(12)		2 Electric	15	36 Deg S/4:-	F/L Blue UR	L161+R119
(13)		1 Boom L	4	36 Deg S/4:-	Shin A	C/C
(14)		2 Boom L	4	36 Deg S/4:-	Shin A	C/C
		3 Boom L	4	36 Deg S/4:-	Shin A	C/C
(15)		4 Boom L	4	36 Deg S/4:Tophat	Shin A	C/C
(16)		1 Boom R	4	36 Deg S/4:-	Shin A	C/C
(17)		2 Boom R	4	36 Deg S/4:-	Shin A	C/C
		3 Boom R	4	36 Deg S/4:-	Shin A	C/C
(18)		4 Boom R	4	36 Deg S/4:Tophat	Shin A	C/C
(19)		1 Boom L	3	36 Deg S/4:-	Shin B	C/C
		2 Boom L	3	36 Deg S/4:-	Shin B	C/C

BALLET HISPANICO*Repertory Light Plot*
CHANNEL HOOKUPArtistic Director: Eduardo Vilaro
Repertory Light Plot
2009-2010Lighting Director: Russel Drapkin
Tel: 917-627-0331
rdrapkinld@mac.com

Channel	Dim	Position	U#	Type & Accessories	Purpose	Color & Template
(20)		3 Boom L	3	36 Deg S/4:-	Shin B	C/C
		4 Boom L	3	36 Deg S/4:Tophat	Shin B	C/C
(21)		1 Boom R	3	36 Deg S/4:-	Shin B	C/C
		2 Boom R	3	36 Deg S/4:-	Shin B	C/C
(22)		3 Boom R	3	36 Deg S/4:-	Shin B	C/C
		4 Boom R	3	36 Deg S/4:Tophat	Shin B	C/C
(23)		1 Boom L	1	36 Deg S/4:-	Head A	C/C
(24)		2 Boom L	1	36 Deg S/4:-	Head A	C/C
		3 Boom L	1	36 Deg S/4:-	Head A	C/C
(25)		4 Boom L	1	36 Deg S/4:Tophat	Head A	C/C
(26)		1 Boom R	1	36 Deg S/4:-	Head A	C/C
(27)		2 Boom R	1	36 Deg S/4:-	Head A	C/C
		3 Boom R	1	36 Deg S/4:-	Head A	C/C
(28)		4 Boom R	1	36 Deg S/4:Tophat	Head A	C/C
(29)		1 Boom L	2	36 Deg S/4:-	Head B	C/C
		2 Boom L	2	36 Deg S/4:-	Head B	C/C
(30)		3 Boom L	2	36 Deg S/4:-	Head B	C/C
		4 Boom L	2	36 Deg S/4:Tophat	Head B	C/C
(31)		1 Boom R	2	36 Deg S/4:-	Head B	C/C
		2 Boom R	2	36 Deg S/4:-	Head B	C/C
(32)		3 Boom R	2	36 Deg S/4:-	Head B	C/C
		4 Boom R	2	36 Deg S/4:Tophat	Head B	C/C
(33)		1 Electric	1	26 Deg S/4:-	Lav P/E <- Cnt	R54+R132
(34)		2 Electric	1	26 Deg S/4:-	Lav P/E <- Cnt	R54+R132
		3 Electric	1	26 Deg S/4:-	Lav P/E <- Cnt	R54+R132
(35)		4 Electric	1	26 Deg S/4:Tophat	Lav P/E <- Cnt	R54+R132
(36)		1 Electric	11	26 Deg S/4:-	Lav P/E -> Cnt	R54+R132
(37)		2 Electric	19	26 Deg S/4:-	Lav P/E -> Cnt	R54+R132
		3 Electric	11	26 Deg S/4:-	Lav P/E -> Cnt	R54+R132
(38)		4 Electric	8	26 Deg S/4:Tophat	Lav P/E -> Cnt	R54+R132
(39)		1 Electric	3	19 Deg S/4:-	Lav P/E <- Far	R54+R132

BALLET HISPANICO*Repertory Light Plot*
CHANNEL HOOKUPArtistic Director: Eduardo Vilaro
Repertory Light Plot
2009-2010Lighting Director: Russel Drapkin
Tel: 917-627-0331
rdrapkinld@mac.com

Channel	Dim	Position	U#	Type & Accessories	Purpose	Color & Template
(40)	2	Electric	3	19 Deg S/4:-	Lav P/E <- Far	R54+R132
	3	Electric	3	19 Deg S/4:-	Lav P/E <- Far	R54+R132
(41)	4	Electric	3	19 Deg S/4:Tophat	Lav P/E <- Far	R54+R132
(42)	1	Electric	9	19 Deg S/4:-	Lav P/E -> Far	R54+R132
(43)	2	Electric	17	19 Deg S/4:-	Lav P/E -> Far	R54+R132
	3	Electric	9	19 Deg S/4:-	Lav P/E -> Far	R54+R132
(44)	4	Electric	6	19 Deg S/4:Tophat	Lav P/E -> Far	R54+R132
(45)	1	Electric	2	26 Deg S/4:-	Temp P/E <- Cnt	R53, T:G530A
(46)	2	Electric	2	26 Deg S/4:-	Temp P/E <- Cnt	R53, T:G530A
	3	Electric	2	26 Deg S/4:-	Temp P/E <- Cnt	R53, T:G530A
(47)	4	Electric	2	26 Deg S/4:-	Temp P/E <- Cnt	R53, T:G530A
(48)	1	Electric	10	26 Deg S/4:-	Temp P/E -> Cnt	R53, T:G530A
(49)	2	Electric	18	26 Deg S/4:-	Temp P/E -> Cnt	R53, T:G530A
	3	Electric	10	26 Deg S/4:-	Temp P/E -> Cnt	R53, T:G530A
(50)	4	Electric	7	26 Deg S/4:-	Temp P/E -> Cnt	R53, T:G530A
(51)	1	Electric	4	19 Deg S/4:-	Temp P/E <- Far	R53, T:G530A
(52)	2	Electric	4	19 Deg S/4:-	Temp P/E <- Far	R53, T:G530A
	3	Electric	4	19 Deg S/4:-	Temp P/E <- Far	R53, T:G530A
(53)	4	Electric	4	19 Deg S/4:-	Temp P/E <- Far	R53, T:G530A
(54)	1	Electric	8	19 Deg S/4:-	Temp P/E -> Far	R53, T:G530A
(55)	2	Electric	16	19 Deg S/4:-	Temp P/E -> Far	R53, T:G530A
	3	Electric	8	19 Deg S/4:-	Temp P/E -> Far	R53, T:G530A
(56)	4	Electric	5	19 Deg S/4:-	Temp P/E -> Far	R53, T:G530A
(61)	1	Electric	5	36 Deg S/4:-	Pool DSL	R53
(62)	1	Electric	6	36 Deg S/4:-	Pool DSC	R53
(63)	1	Electric	7	36 Deg S/4:-	Pool DSR	R53
(64)	2	Electric	7	36 Deg S/4:-	Pool MSL	R53
(65)	2	Electric	10	36 Deg S/4:-	Pool MSC	R53
(66)	2	Electric	13	36 Deg S/4:-	Pool MSR	R53

BALLET HISPANICO*Repertory Light Plot*
CHANNEL HOOKUPArtistic Director: Eduardo Vilaro
Repertory Light Plot
2009-2010Lighting Director: Russel Drapkin
Tel: 917-627-0331
rdrapkinld@mac.com

Channel	Dim	Position	U#	Type & Accessories	Purpose	Color & Template
(67)		3 Electric	5	36 Deg S/4:-	Pool USL	R53
(68)		3 Electric	6	36 Deg S/4:-	Pool USC	R53
(69)		3 Electric	7	36 Deg S/4:-	Pool USR	R53
(72)		Cyc Foots	A1	6' 3Cir T3 Strip:Zetex	Cyc Foots / Amber	R321
		Cyc Foots	B1	6' 3Cir T3 Strip:Zetex	Cyc Foots / Amber	R321
(73)		Cyc Foots	C1	6' 3Cir T3 Strip:Zetex	Cyc Foots / Amber	R321
		Cyc Foots	D1	6' 3Cir T3 Strip:Zetex	Cyc Foots / Amber	R321
(74)		Cyc Foots	E1	6' 3Cir T3 Strip:Zetex	Cyc Foots / Amber	R321
		Cyc Foots	F1	6' 3Cir T3 Strip:Zetex	Cyc Foots / Amber	R321
(75)		Cyc Foots	A3	6' 3Cir T3 Strip:Zetex	Cyc Foots / Red	R26
		Cyc Foots	B3	6' 3Cir T3 Strip:Zetex	Cyc Foots / Red	R26
(76)		Cyc Foots	C3	6' 3Cir T3 Strip:Zetex	Cyc Foots / Red	R26
		Cyc Foots	D3	6' 3Cir T3 Strip:Zetex	Cyc Foots / Red	R26
(77)		Cyc Foots	E3	6' 3Cir T3 Strip:Zetex	Cyc Foots / Red	R26
		Cyc Foots	F3	6' 3Cir T3 Strip:Zetex	Cyc Foots / Red	R26
(78)		Cyc Foots	A2	6' 3Cir T3 Strip:Zetex	Cyc Foots / Blue	R79
		Cyc Foots	B2	6' 3Cir T3 Strip:Zetex	Cyc Foots / Blue	R79
(79)		Cyc Foots	C2	6' 3Cir T3 Strip:Zetex	Cyc Foots / Blue	R79
		Cyc Foots	D2	6' 3Cir T3 Strip:Zetex	Cyc Foots / Blue	R79
(80)		Cyc Foots	E2	6' 3Cir T3 Strip:Zetex	Cyc Foots / Blue	R79
		Cyc Foots	F2	6' 3Cir T3 Strip:Zetex	Cyc Foots / Blue	R79
(81)		3A Electric	1	WFL S/4 PAR:-	B/L Amber	G375
		3A Electric	4	WFL S/4 PAR:-	B/L Amber	G375
(82)		3A Electric	7	WFL S/4 PAR:-	B/L Amber	G375
		3A Electric	10	WFL S/4 PAR:-	B/L Amber	G375
(83)		3A Electric	13	WFL S/4 PAR:-	B/L Amber	G375
		3A Electric	16	WFL S/4 PAR:-	B/L Amber	G375
(84)		4A Electric	1	WFL S/4 PAR:-	B/L Amber	G375
		4A Electric	4	WFL S/4 PAR:-	B/L Amber	G375
(85)		4A Electric	7	WFL S/4 PAR:-	B/L Amber	G375
		4A Electric	10	WFL S/4 PAR:-	B/L Amber	G375

BALLET HISPANICO*Repertory Light Plot*
CHANNEL HOOKUPArtistic Director: Eduardo Vilaro
Repertory Light Plot
2009-2010Lighting Director: Russel Drapkin
Tel: 917-627-0331
rdrapkinld@mac.com

Channel	Dim	Position	U#	Type & Accessories	Purpose	Color & Template
(86)		4A Electric	13	WFL S/4 PAR:-	B/L Amber	G375
		4A Electric	16	WFL S/4 PAR:-	B/L Amber	G375
(87)		3A Electric	2	WFL S/4 PAR:-	B/L Magenta	R48
		3A Electric	5	WFL S/4 PAR:-	B/L Magenta	R48
(88)		3A Electric	8	WFL S/4 PAR:-	B/L Magenta	R48
		3A Electric	11	WFL S/4 PAR:-	B/L Magenta	R48
(89)		3A Electric	14	WFL S/4 PAR:-	B/L Magenta	R48
		3A Electric	17	WFL S/4 PAR:-	B/L Magenta	R48
(90)		4A Electric	2	WFL S/4 PAR:-	B/L Magenta	R48
		4A Electric	5	WFL S/4 PAR:-	B/L Magenta	R48
(91)		4A Electric	8	WFL S/4 PAR:-	B/L Magenta	R48
		4A Electric	11	WFL S/4 PAR:-	B/L Magenta	R48
(92)		4A Electric	14	WFL S/4 PAR:-	B/L Magenta	R48
		4A Electric	17	WFL S/4 PAR:-	B/L Magenta	R48
(93)		3A Electric	3	WFL S/4 PAR:-	B/L Blue	R79
		3A Electric	6	WFL S/4 PAR:-	B/L Blue	R79
(94)		3A Electric	9	WFL S/4 PAR:-	B/L Blue	R79
		3A Electric	12	WFL S/4 PAR:-	B/L Blue	R79
(95)		3A Electric	15	WFL S/4 PAR:-	B/L Blue	R79
		3A Electric	18	WFL S/4 PAR:-	B/L Blue	R79
(96)		4A Electric	3	WFL S/4 PAR:-	B/L Blue	R79
		4A Electric	6	WFL S/4 PAR:-	B/L Blue	R79
(97)		4A Electric	9	WFL S/4 PAR:-	B/L Blue	R79
		4A Electric	12	WFL S/4 PAR:-	B/L Blue	R79
(98)		4A Electric	15	WFL S/4 PAR:-	B/L Blue	R79
		4A Electric	18	WFL S/4 PAR:-	B/L Blue	R79

BALLET HISPANICO*Repertory Light Plot*
INSTRUMENT SCHEDULEArtistic Director: Eduardo Vilaro
Repertory Light Plot
2009-2010Lighting Director: Russel Drapkin
Tel: 917-627-0331
rdrapkinld@mac.com**FOH**

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		19 Deg S/4:-	575w	F/L Lav DL	R54+R132			(1)
2		19 Deg S/4:-	575w	F/L Blue DL	L161+R132			(7)
3		19 Deg S/4:-	575w	F/L Lav DL	R54+R132			(1)
4		19 Deg S/4:-	575w	F/L Blue DL	L161+R132			(7)
5		19 Deg S/4:-	575w	F/L Lav DC	R54+R132			(2)
6		19 Deg S/4:-	575w	F/L Blue DC	L161+R132			(8)
7		19 Deg S/4:-	575w	F/L Lav DC	R54+R132			(2)
8		19 Deg S/4:-	575w	F/L Blue DC	L161+R132			(8)
9		19 Deg S/4:-	575w	F/L Lav DR	R54+R132			(3)
10		19 Deg S/4:-	575w	F/L Blue DR	L161+R132			(9)
11		19 Deg S/4:-	575w	F/L Lav DR	R54+R132			(3)
12		19 Deg S/4:-	575w	F/L Blue DR	L161+R132			(9)

1 Electric

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		26 Deg S/4:-	575w	Lav P/E <- Cnt	R54+R132			(33)
2		26 Deg S/4:-	575w	Temp P/E <- Cnt	R53	G530A		(45)
3		19 Deg S/4:-	575w	Lav P/E <- Far	R54+R132			(39)
4		19 Deg S/4:-	575w	Temp P/E <- Far	R53	G530A		(51)
5		36 Deg S/4:-	575w	Pool DSL	R53			(61)
6		36 Deg S/4:-	575w	Pool DSC	R53			(62)
7		36 Deg S/4:-	575w	Pool DSR	R53			(63)
8		19 Deg S/4:-	575w	Temp P/E -> Far	R53	G530A		(54)
9		19 Deg S/4:-	575w	Lav P/E -> Far	R54+R132			(42)
10		26 Deg S/4:-	575w	Temp P/E -> Cnt	R53	G530A		(48)
11		26 Deg S/4:-	575w	Lav P/E -> Cnt	R54+R132			(36)

BALLET HISPANICO*Repertory Light Plot*
INSTRUMENT SCHEDULEArtistic Director: Eduardo Vilaro
Repertory Light Plot
2009-2010Lighting Director: Russel Drapkin
Tel: 917-627-0331
rdrapkinld@mac.com**2 Electric**

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		26 Deg S/4:-	575w	Lav P/E <- Cnt	R54+R132			(34)
2		26 Deg S/4:-	575w	Temp P/E <- Cnt	R53	G530A		(46)
3		19 Deg S/4:-	575w	Lav P/E <- Far	R54+R132			(40)
4		19 Deg S/4:-	575w	Temp P/E <- Far	R53	G530A		(52)
5		36 Deg S/4:-	575w	F/L Lav UL	R54+R119			(4)
6		36 Deg S/4:-	575w	F/L Blue UL	L161+R119			(10)
7		36 Deg S/4:-	575w	Pool MSL	R53			(64)
8		36 Deg S/4:-	575w	F/L Lav UC	R54+R119			(5)
9		36 Deg S/4:-	575w	F/L Blue UCL	L161+R119			(11)
10		36 Deg S/4:-	575w	Pool MSC	R53			(65)
11		36 Deg S/4:-	575w	F/L Lav UC	R54+R119			(5)
12		36 Deg S/4:-	575w	F/L Blue UCR	L161+R119			(11)
13		36 Deg S/4:-	575w	Pool MSR	R53			(66)
14		36 Deg S/4:-	575w	F/L Lav UR	R54+R119			(6)
15		36 Deg S/4:-	575w	F/L Blue UR	L161+R119			(12)
16		19 Deg S/4:-	575w	Temp P/E -> Far	R53	G530A		(55)
17		19 Deg S/4:-	575w	Lav P/E -> Far	R54+R132			(43)
18		26 Deg S/4:-	575w	Temp P/E -> Cnt	R53	G530A		(49)
19		26 Deg S/4:-	575w	Lav P/E -> Cnt	R54+R132			(37)

3 Electric

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		26 Deg S/4:-	575w	Lav P/E <- Cnt	R54+R132			(34)
2		26 Deg S/4:-	575w	Temp P/E <- Cnt	R53	G530A		(46)
3		19 Deg S/4:-	575w	Lav P/E <- Far	R54+R132			(40)
4		19 Deg S/4:-	575w	Temp P/E <- Far	R53	G530A		(52)
5		36 Deg S/4:-	575w	Pool USL	R53			(67)
6		36 Deg S/4:-	575w	Pool USC	R53			(68)
7		36 Deg S/4:-	575w	Pool USR	R53			(69)
8		19 Deg S/4:-	575w	Temp P/E -> Far	R53	G530A		(55)
9		19 Deg S/4:-	575w	Lav P/E -> Far	R54+R132			(43)
10		26 Deg S/4:-	575w	Temp P/E -> Cnt	R53	G530A		(49)
11		26 Deg S/4:-	575w	Lav P/E -> Cnt	R54+R132			(37)

BALLET HISPANICO*Repertory Light Plot*
INSTRUMENT SCHEDULEArtistic Director: Eduardo Vilaro
Repertory Light Plot
2009-2010Lighting Director: Russel Drapkin
Tel: 917-627-0331
rdrapkinld@mac.com**3A Electric**

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		WFL S/4 PAR:-	575w	B/L Amber	G375			(81)
2		WFL S/4 PAR:-	575w	B/L Magenta	R48			(87)
3		WFL S/4 PAR:-	575w	B/L Blue	R79			(93)
4		WFL S/4 PAR:-	575w	B/L Amber	G375			(81)
5		WFL S/4 PAR:-	575w	B/L Magenta	R48			(87)
6		WFL S/4 PAR:-	575w	B/L Blue	R79			(93)
7		WFL S/4 PAR:-	575w	B/L Amber	G375			(82)
8		WFL S/4 PAR:-	575w	B/L Magenta	R48			(88)
9		WFL S/4 PAR:-	575w	B/L Blue	R79			(94)
10		WFL S/4 PAR:-	575w	B/L Amber	G375			(82)
11		WFL S/4 PAR:-	575w	B/L Magenta	R48			(88)
12		WFL S/4 PAR:-	575w	B/L Blue	R79			(94)
13		WFL S/4 PAR:-	575w	B/L Amber	G375			(83)
14		WFL S/4 PAR:-	575w	B/L Magenta	R48			(89)
15		WFL S/4 PAR:-	575w	B/L Blue	R79			(95)
16		WFL S/4 PAR:-	575w	B/L Amber	G375			(83)
17		WFL S/4 PAR:-	575w	B/L Magenta	R48			(89)
18		WFL S/4 PAR:-	575w	B/L Blue	R79			(95)

4 Electric

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		26 Deg S/4:Tophat	575w	Lav P/E <- Cnt	R54+R132			(35)
2		26 Deg S/4:-	575w	Temp P/E <- Cnt	R53	G530A		(47)
3		19 Deg S/4:Tophat	575w	Lav P/E <- Far	R54+R132			(41)
4		19 Deg S/4:-	575w	Temp P/E <- Far	R53	G530A		(53)
5		19 Deg S/4:-	575w	Temp P/E -> Far	R53	G530A		(56)
6		19 Deg S/4:Tophat	575w	Lav P/E -> Far	R54+R132			(44)
7		26 Deg S/4:-	575w	Temp P/E -> Cnt	R53	G530A		(50)
8		26 Deg S/4:Tophat	575w	Lav P/E -> Cnt	R54+R132			(38)

BALLET HISPANICO*Repertory Light Plot*
INSTRUMENT SCHEDULEArtistic Director: Eduardo Vilaro
Repertory Light Plot
2009-2010Lighting Director: Russel Drapkin
Tel: 917-627-0331
rdrapkinld@mac.com**4A Electric**

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		WFL S/4 PAR:-	575w	B/L Amber	G375			(84)
2		WFL S/4 PAR:-	575w	B/L Magenta	R48			(90)
3		WFL S/4 PAR:-	575w	B/L Blue	R79			(96)
4		WFL S/4 PAR:-	575w	B/L Amber	G375			(84)
5		WFL S/4 PAR:-	575w	B/L Magenta	R48			(90)
6		WFL S/4 PAR:-	575w	B/L Blue	R79			(96)
7		WFL S/4 PAR:-	575w	B/L Amber	G375			(85)
8		WFL S/4 PAR:-	575w	B/L Magenta	R48			(91)
9		WFL S/4 PAR:-	575w	B/L Blue	R79			(97)
10		WFL S/4 PAR:-	575w	B/L Amber	G375			(85)
11		WFL S/4 PAR:-	575w	B/L Magenta	R48			(91)
12		WFL S/4 PAR:-	575w	B/L Blue	R79			(97)
13		WFL S/4 PAR:-	575w	B/L Amber	G375			(86)
14		WFL S/4 PAR:-	575w	B/L Magenta	R48			(92)
15		WFL S/4 PAR:-	575w	B/L Blue	R79			(98)
16		WFL S/4 PAR:-	575w	B/L Amber	G375			(86)
17		WFL S/4 PAR:-	575w	B/L Magenta	R48			(92)
18		WFL S/4 PAR:-	575w	B/L Blue	R79			(98)

Cyc Foots

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
A1		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Amber	R321			(72)
A2		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Blue	R79			(78)
A3		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Red	R26			(75)
B1		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Amber	R321			(72)
B2		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Blue	R79			(78)
B3		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Red	R26			(75)
C1		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Amber	R321			(73)
C2		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Blue	R79			(79)
C3		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Red	R26			(76)
D1		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Amber	R321			(73)
D2		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Blue	R79			(79)
D3		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Red	R26			(76)
E1		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Amber	R321			(74)
E2		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Blue	R79			(80)
E3		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Red	R26			(77)
F1		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Amber	R321			(74)
F2		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Blue	R79			(80)
F3		6' 3Cir T3 Strip:Zetex	1200w	Cyc Foots / Red	R26			(77)

BALLET HISPANICO*Repertory Light Plot*
INSTRUMENT SCHEDULEArtistic Director: Eduardo Vilaro
Repertory Light Plot
2009-2010Lighting Director: Russel Drapkin
Tel: 917-627-0331
rdrapkinld@mac.com**1 Boom L**

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		36 Deg S/4:-	575w	Head A	C/C			(23)
2		36 Deg S/4:-	575w	Head B	C/C			(29)
3		36 Deg S/4:-	575w	Shin B	C/C			(19)
4		36 Deg S/4:-	575w	Shin A	C/C			(13)

2 Boom L

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		36 Deg S/4:-	575w	Head A	C/C			(24)
2		36 Deg S/4:-	575w	Head B	C/C			(29)
3		36 Deg S/4:-	575w	Shin B	C/C			(19)
4		36 Deg S/4:-	575w	Shin A	C/C			(14)

3 Boom L

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		36 Deg S/4:-	575w	Head A	C/C			(24)
2		36 Deg S/4:-	575w	Head B	C/C			(30)
3		36 Deg S/4:-	575w	Shin B	C/C			(20)
4		36 Deg S/4:-	575w	Shin A	C/C			(14)

4 Boom L

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		36 Deg S/4:Tophat	575w	Head A	C/C			(25)
2		36 Deg S/4:Tophat	575w	Head B	C/C			(30)
3		36 Deg S/4:Tophat	575w	Shin B	C/C			(20)
4		36 Deg S/4:Tophat	575w	Shin A	C/C			(15)

1 Boom R

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		36 Deg S/4:-	575w	Head A	C/C			(26)
2		36 Deg S/4:-	575w	Head B	C/C			(31)
3		36 Deg S/4:-	575w	Shin B	C/C			(21)
4		36 Deg S/4:-	575w	Shin A	C/C			(16)

BALLET HISPANICO*Repertory Light Plot*
INSTRUMENT SCHEDULEArtistic Director: Eduardo Vilaro
Repertory Light Plot
2009-2010Lighting Director: Russel Drapkin
Tel: 917-627-0331
rdrapkinld@mac.com**2 Boom R**

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		36 Deg S/4:-	575w	Head A	C/C			(27)
2		36 Deg S/4:-	575w	Head B	C/C			(31)
3		36 Deg S/4:-	575w	Shin B	C/C			(21)
4		36 Deg S/4:-	575w	Shin A	C/C			(17)

3 Boom R

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		36 Deg S/4:-	575w	Head A	C/C			(27)
2		36 Deg S/4:-	575w	Head B	C/C			(32)
3		36 Deg S/4:-	575w	Shin B	C/C			(22)
4		36 Deg S/4:-	575w	Shin A	C/C			(17)

4 Boom R

U#	Msr	Type & Accessories	Watts	Purpose	Color	Tmpl	Dim	Chn
1		36 Deg S/4:Tophat	575w	Head A	C/C			(28)
2		36 Deg S/4:Tophat	575w	Head B	C/C			(32)
3		36 Deg S/4:Tophat	575w	Shin B	C/C			(22)
4		36 Deg S/4:Tophat	575w	Shin A	C/C			(18)